

LIGHT

2

1.

LIGHT

2. :

Ag+

Ш

Ag+

Ag+

-SH

3

Ш

DNA

Ш

3.

3.1 :

3.2 : L * W * H = 63.0mm*43.0mm*28.8mm

4.

4.1 DC 12V

4.2 10 30 mA

TDS 160 250 PPM

4.3 200 800 ml/min

TDS 160 250 PPM

4.4 5 40Ñ

20Ñ

4.5 -10 60Ñ (10 90%RH)

4.6 5kgf/cm²

4.7 0.07 3.0kgf/cm²

5.

5.1

5.1.1 20Ñ, 50 90%RH

5.1.2 0.07 3.0kgf/cm²

5.1.3

5.1.4 TDS 160 250 PPM TDS

5.1.5 DC 12V

5.1.6 450 500 ml/min

5.2

5.2.1

Ш

5.2.1

10

30mA

Ш

LIGHT

3

6.

6.1

4 CYCLE : -25Ñ /120 ,65Ñ /90%RH 120 1CYCLE 10CYCLE

6.2

AC 1500V/1

6.3

DC 500V

100M á

6.4

7kgf/cm²

6.4

10 , 2 On/OFF ũ 30mA

6.5

Э Ю2002 -2.1.4.1Ш

LIGHT

	4

6.6 : 1M 1 ,

7.

- 7.1 4.5Kg 41min 4 Ⅱ
- 7.2 : DC 12V 500ml/min, 300 900 mA
- 7.3 ů 5Kg
- 7.4
- 7.4.1 4 4 4 4
- 7.4.2 4
- 7.4.3 4
- 7.4.4
- 7.5
- 7.5.1 PASS
- 7.5.1 4

8.

9.

- 9.1 GB5749 50 Ň
- 9.2 4

LIGHT

5

10. mm



