

SL-T2835WD060-L70-A-XX

DATA SHEET

SPEC.NO.: SZ22081701
 DATE: 2022/08/17
 REV.: A/0

Approved By:

Checked By:

Prepared By:



3(+



--

IB J (.) +M: & &B- &7 , +	. &	, +&&	&&	. . /	)& ++	&	++
IB J (.) +M: & &B- &7 &	. &	&&&	&&	. . /	)& ++	&	++
IB J (.) +M: & &B- &7)&	. &	)&&&	&&	. . /	(+ &	&	+



3(+

F	I	H	K
Forward Current		(&	7
Pulse Forward Current	F	(&&	7
Power Dissipation	F	(.	M
Operating Temperature	J	& &&	
Storage Temperature	J	& &&	
Junction Temperature	J	(+	
Welding temperature	J	H C	0(, & & 0) +&)
7 8 C	; I:	(&&&	L


D %&: & & %&
(



D 7 D C 7
(7
) 7 &
&
I




7)&& 8 (&& 9 &&& %&&& : (&&
7 0J 9 J)&& 18 0B ; (&& 19 0 &&& . &&&B B 1: 0J ; (&&







Moisture Proof and Anti-Electrostatic Foil Bag



Cardboard Box





Label Explanation



TYPE NO./	QUANTITY/
BIN./	DATE CODE/
REMARKS/	LOT NO./


LIGHT







LIG

LIGHT





B₃ :

B₃ :

J :

9

9

F

B₃ :

M

;


B₃ :

B₃ :

B₃ :

H

I



B₃ :

J

M



(+	) &
) &	) +
) +	&
&	+
+	+ &
+ &	++

. .	/ &
/ &	/ (
/ (	/

D


(J

& L

-

& L

-



	&))/	& &)(	&&&(-.	&&&),	+) ((	+
	&). .	&)- /-	&&&))	&&&)	+) -(	+
	&) ()	&)(. (	&&&((	&&&/ +	+. +-	+

D
7

&& &&

